

2024 Collection

Available from 01/01/2024

nobilia[®]elements 

More
space in
your **life.**

nobilia elements
rapid delivery programme.





one

Quick and simple for individual preferences.

Pre-assembled
Modular and suitable for flexible expansion.

two



three

Top quality is our standard.



nobiliaselements

The intelligent and modular
quick delivery program by nobilia


Whether you are moving to a new town, starting a family or building a house: Home living environments change. From one day to the next you suddenly need a new kitchen, new bathroom or living room furniture. Simply and quickly. Without complications. That's what has to be offered by a modular one-two-three concept with furniture elements that reach you quickly. At all times and with options for expansion in the future. With great quality standards. And that's exactly what we've got for you.

Our innovative and modular quick-delivery program nobilia elements offers a suitable solution for any lifestyle. It's quick. It's flexible. It's expandable. The modular living concept opens up a world of options. Whether in the kitchen, bathroom or living room: The furniture elements can be combined and are available quickly. And they are pre-assembled.


For more space in your life.

Simple and modular planning. Simply good. Simply fast.


Your new furniture is pre-assembled and will reach you in no time at all.
With us you can get exactly what you want. Choose from different service options for the solution that fits your needs.




Integrated living concept




Simple modular system




nobilia quality



Pre-assembled furniture



Quick availability



High level of service

First-class furniture in nobilia quality. Made in Germany.

Thanks to our use of high-quality materials, nobilia elements products are guaranteed to be reliable and long-lived: They feature quality handles made of metal, cushioned hinges and drawer systems as well as sturdy front and worktop décors.



nobilia means certified quality:





Simple options for diverse design possibilities.

Our flexible yet simple nobilia elements furniture module kit is as modular as your preferences and as simple as it gets because it focuses on what's really important.

1 Colours

The front, carcass and plinth are available in modern alpine white. The matt surface is a real eye-catcher.

Front

332 Touch alpine white super-matt

Carcass

193 Alpine white

Plinth

193 Alpine white,
150 mm high

Alpine
white

2 Handles

The handles made of high-quality metal are available in stainless steel finish and black.

Metal handle

No. 263 Stainless steel finish
No. 726 Black
Nr. 956 Alpine white

Handle position kitchen

Handle aligned
horizontally on side



Handle position bathroom / living

Handle aligned
horizontally at centre



3 Décors

A warm wood décor, timeless concrete appearance or minimalist alpine white – the choice is yours.

Worktop

198 Sierra oak reproduction
354 Concrete Slate Grey reproduction

Upright panel and top shelf

193 Alpine white
198 Sierra oak reproduction
354 Concrete Slate Grey reproduction

Niche cladding

198 Sierra oak reproduction
354 Concrete Slate Grey reproduction

Shelf unit

193 Alpine white

Alpine
white

Oak

Concrete

A customised dream kitchen for any taste and space.

KSET-E12



**A velvety feel and
timeless design.**


The Touch front is
designed to fascinate
with its supermatt
look and a modern
surface quality.

KSET-E09



The soft-close cushioning feature.

All doors, drawers and pull-outs of nobilia elements units come standard equipped with high-quality, soft-closing hinge systems.



KSET-E03



KSET-E05





KSET-E11



For more space in your life.

Whether you need a kitchen for a single-person home, a student flat, a kitchen for daily commuters or a family – the flexible nobilia elements module kit can be adapted to any situation.



KSET-E01



KSET-E13



KSET-E14

KSET-E04



KSET-E10



KSET-E08



**Unbeatable value
for money.**

nobilia elements is so reliable because all materials we use are extremely high quality. The cushioned hinges, quality handles, reliable and long-lived drawer systems have all undergone intensive testing at nobilia's own lab.

KSET-E02




Kitchen modules

Base units

Side depth: 561 mm; carcass height: 720 mm; total height: 870 mm
Hot plates may only be installed in units intended for this purpose.

Base unit


Hinge side optionally on L/R,
1 continuous door,
1 shelf
UD 30 / 45 / 60



Width:	Item no.
30 cm	31003
45 cm	31065
60 cm	31030

Base unit


Hinge side optionally on L/R,
1 drawer, 1 door,
1 shelf
US 30 / 45 / 60



Width:	Item no.
30 cm	22006
45 cm	22077
60 cm	22031

Pull-out unit


1 drawer, 2 pull-outs
UA 30 / 45 / 60 / 90



Width:	Item no.
30 cm	22263
45 cm	22022
60 cm	22062
90 cm	22024

Base unit


2 continuous doors,
1 shelf
UD 90



Width:	Item no.
90 cm	31076

Base unit

2 drawers, 2 doors,
1 shelf
US 90



Width:	Item no.
90 cm	22079

Pull-out unit

1 pull-out,
1 continuous front,
2 metal baskets
UA 15



Width:	Item no.
15 cm	22270

Open shelf base unit

2 fixed shelves,
side depth: 582 mm
UR 15



Width:	Item no.
15 cm	22601

Base unit sideboard

Hinge side optionally on L/R,
1 continuous door, 2 fixed
shelves, side depth: 350 mm
S60-1



Width:	Item no.
60 cm	38006

Base unit open-shelf sideboard


2 fixed shelves
side depth: 371 mm
SR15-1



Width:	Item no.
15 cm	39071

Corner unit


Hinge side optionally on L/R, 1
continuous door, 1 shelf,
1 angle filler
UEDF 100-60



Width:	Item no.
60 cm	36099

Sink base unit


Hinge side optionally on L/R,
1 internal panel,
1 continuous door
SPUD 45 / 60



Width:	Item no.
45 cm	31205
60 cm	31206

Sink base unit

2 internal panels,
2 continuous doors
SPUD 90



Width:	Item no.
90 cm	31161

Hot plate unit

Hinge side optionally on L/R,
1 internal panel, 1 construction
shelf for heat insulation,
1 door, 1 shelf
KD 60



Width:	Item no.
60 cm	31066

Hot plate unit

Hinge side optionally on L/R,
1 drawer, 1 spacer
shelf for hot plate, 1 door,
1 shelf
KS 60



Width:	Item no.
60 cm	20333

Hot plate unit

1 drawer, 1 spacer shelf
for hot plate, 2 pull-outs
KS2A 60 / 90



Width:	Item no.
60 cm	21377
90 cm	21391

Cooker housing unit*

1 fixed panel,
aperture dimension: 598 mm
HUB



Width:	Item no.
60 cm	309

Cooker housing unit*

1 plastic drawer,
16 l capacity, interior dimensions:
485 x 480 x 68 mm,
aperture dimension: 598 mm
HUS 60



Width:	Item no.
60 cm	31311

Continuous door front


for fully integrated dishwasher,
built-under fridge and freezer
units with pull-outs
GSBD 45-I / GSBD 60-I



Width:	Item no.
45 cm	39820
60 cm	39866

Continuous door front

Hinge side optionally on L/R, for
integrated fridges/freezers and
washing machines
KSBD



Width:	Item no.
60 cm	39865

Safety bracket for free-standing base units


2 safety brackets (metal),
1 polymer adhesive, mounting
materials and installation instructions
KIPPS



Item no.
9943

Upright at end


incl. floor profile,
depth: 583 mm, thickness: 16 mm
UWA 16



Item no.
16902

Upright at end for 700 mm deep worktops


incl. floor profile, depth: 683 mm,
thickness: 16 mm
UW 86-69



Width:	Item no.
60 cm	16894

Upright at end for island designs

incl. floor profile in (014) Stainless
steel appearance or (010) Black,
thickness: 16 mm, dimensions
(H x W x D)
862 mm x 16 mm x 955 mm
Colour: Alpine white
UW86-96



Item no.
16893

Filler


Carcass material, 720 mm high
UPK 20



Width:	Item no.
20 cm	113

Front filler


Continuous front material
UPD 20



Width:	Item no.
20 cm	116

Base unit angle filler

Continuous front material, 70 x 70 mm
UPE



Item no.
143

Dishwasher recess

Side section made of carcass material, carcass height:
720 mm, carcass depth: 561 mm, for attaching to
fillers planned next to a dishwasher
GSPR-E


Item no.
44160

Highboards

Side depth: 561 mm; carcass height: 1512 mm; total height: 1662 mm

Oven housing


Aperture height: 590 mm, 1 fixed
compensation panel, 2 drawers,
2 pull-outs
GO2S2A



Width:	Item no.
60 cm	25432

Appliance housing for integrated fridge


Hinge side optionally on L/R, aperture
height: 1230 mm, 1 internal panel,
1 appliance door, 1 drawer
G123S



Width:	Item no.
60 cm	24778

Highboard larder unit


1 pull-out with cushioning element
to cushion opening and closing
SoftStoppPro,
4 hanging baskets with wooden
bottoms and metal railing, adjustable
HA 30



Width:	Item no.
30 cm	20413

Upright at end


for 150 mm plinth height,
incl. floor profile, depth: 583 mm,
height: 1662 mm
Floor profile colour: Stainless steel / Black
HWA 16



Item no.
16517

Upright at end for 700 mm deep worktops


incl. floor profile, depth: 683 mm,
height: 1662 mm
Floor profile colour: Stainless steel / Black
HWAV 16



Item no.
16519

Filler


Carcass material, 1512 mm high,
U-shaped seal for connection to wall
HPK 20



Width:	Item no.
23 cm	21870

Front filler

Continuous front material
HPD 20



Width:	Item no.
20 cm	22792

Kitchen modules

Tall units

Side depth: 561 mm; carcass height: 2016 mm; total height: 2166 mm

Pantry unit

Hinge side optionally on L/R, 2 doors, 1 fixed shelf, 4 shelves
HDV 60-1



Width: 60 cm
Item no. 24016

Larder unit


1 pull-out with cushioning element to cushion opening and closing SoftStoppPro, 5 hanging baskets with wooden bottoms and metal railing, adjustable
HDA 30-1



Width: 30 cm
Item no. 24073

Oven housing


Hinge side optionally on L/R, aperture height: 590 mm, 2 doors, 1 fixed compensation panel, 2 shelves
GO-1



Width: 60 cm
Item no. 23417

Oven housing


Hinge side optionally on L/R, aperture height: 590 mm, 1 door, 1 shelf, 1 fixed compensation panel, 1 drawer, 2 pull-outs
GOS2A-1



Width: 60 cm
Item no. 25461

Appliance housing for oven and microwave with lifting door


Aperture heights: 370 mm | 590 mm
1 flap, 1 lifting door, 1 fixed compensation panel, 2 pull-outs
GLO2A-1



Width: 60 cm
Item no. 25511

Appliance housing for integrated fridge and microwave / steam oven / compact appliance

Hinge side optionally on L/R, aperture height: 380–450 | 880 mm, 1 door, 1 shelf, 1 fixed compensation panel, 1 appliance door
G88MDK-1



Width: 60 cm
Item no. 24629

Appliance housing integrated fridge

Hinge side optionally on L/R, aperture height: 1230 mm, 1 internal panel, 1 appliance door, 1 door, 1 shelf
GD123-1



Width: 60 cm
Item no. 24651

Appliance housing integrated fridge/freezer


Hinge side optionally on L/R, aperture height: 1450 mm, 1 appliance door for freezer section, 1 appliance door for fridge section, 1 pull-out
GD145-1



Width: 60 cm
Item no. 22670

Appliance housing integrated fridge/freezer

Hinge side optionally on L/R, aperture height: 780 mm, 2 appliance doors
GD194-1



Width: 60 cm
Item no. 24674

Upright at end

incl. floor profile, depth: 583 mm, height: 2158 mm
Floor profile colour: Stainless steel / Black
HWA 16-1



Item no. 16303

Upright at end for 700 mm deep worktops

incl. floor profile, depth: 683 mm, height: 2158 mm
Floor profile colour: Stainless steel / Black
HWAV 16-1



Item no. 16304

Design upright panel for tall unit

incl. floor profile, depth: 683 mm, height: 2158 mm
Colour: only available in Alpine white
Floor profile colour: Stainless steel / Black
HWAK 16-1



Item no. 16897

Filler


Carcass material, 2016 mm high, U-shaped seal for connection to wall
HPK 20-1



Width: 23 cm
Item no. 25487

Front filler

Continuous front material
HPD 20-1




Item no. 25488

Wall units

Side depth: 350 mm; carcass height: 360 mm

Wall unit

Hinge side optionally on L/R, 1 door, 2 shelves
W 30-1 / 45-1 / 60-1



Width: 30 cm
Item no. 32003
45 cm 32045
60 cm 32006

Wall unit


2 doors, 2 shelves
W 90-1



Width: 90 cm
Item no. 32009

Wall unit with folding/lifting door


1 folding/lifting door, 2 original fronts, 2 shelves
WFL 60-1 / 90-1



Width: 60 cm
Item no. 32346
90 cm 32349

Wall unit with segmented glass door

Hinge side optionally on L/R, 1 door, clear glass no. 01, 2 glass shelves
WGLS 60-1



Width: 60 cm
Item no. 31436

Wall unit for microwave appliance JUNKER


1 aperture 380 mm, 1 flap as aperture compensation
WMJE 60-1



Width: 60 cm
Item no. 37568

Wall unit for slimline cooker hood


Hinged side optionally on L/R, internal panel, metal trays, 80 mm deep, the number of metal trays is based on the installation dimensions of the cooker hood, height: 720 mm
WDAF 60-1



Width: 60 cm
Item no. 31829

Wall shelf

Thickness: 25 mm, depth: 255 mm, not for planning above hot plates
Colours: Oak/Concrete/Alpine white
VBE 25-60 / 80 / 90 / 100



Width: 60 cm
Item no. 25826
80 cm 25828
90 cm 25829
100 cm 25830

→ Wall holders for the wall shelf, set of 2

Colours: Stainless steel / Black
VBH 5



Item no. 5900

Open shelf wall unit

2 fixed shelves, side depth: 371 mm
WR 15-1



Width: 15 cm
Item no. 32071

Upright at end

Depth: 372 mm, height: 720 mm, thickness: 16 mm
WW 16-1



Item no. 16832

Filler


Carcass material, 720 mm high, U-shaped seal for connection to wall
WPK 20-1



Width: 20 cm
Item no. 31302

Front filler


Continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep
WPD 20-1



Width: 20 cm
Item no. 3312

Angle filler

Wall unit
Front material, 150 x 150 mm, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep
WPEV 50-1



Item no. 31480

Kitchen modules

Top shelves for highboards

Top shelves

Thickness: 16 mm, 585 mm depth, coated on both faces, front and side with polymer edge

ADB1633-59-E
ADB1663-59-E
ADB1693-59-E
ADB16123-59-E



Length:	Item no.
33 cm	16050
63 cm	16051
93 cm	16052
123 cm	16053

Top shelf

685 mm deep, coated on both faces, front and side with polymer edge, thickness: 16 mm

ADB16123-69-E



Length:	Item no.
123 cm	16054

Worktops for run solutions

Worktops

1.5 mm thick, 600 mm deep, front and side with straight décor edge

APD60-180-E
APD60-210-E
APD60-240-E
APD60-300-E
APD60-400-E



Length:	Item no.
180 cm	7601
210 cm	7602
240 cm	7603
300 cm	7604
400 cm	7605

Worktop

700 mm deep, front and side with straight décor edge, 1.5 mm thick

APD70-400-E



Length:	Item no.
400 cm	7606
450 cm	7627

Worktop for island solutions

Worktop

1835 mm x 989 mm, all around with straight décor edge, 1.5 mm thick

APDI 38-184-E



Item no.
7617

Worktops for corner solutions

Tongue and groove joint always on the right side of the left side piece (not variable)

Left side piece

Item no. 7610, 7611, 7612

Item no.
7613
7614

Right side piece

Worktop for corner solutions

Length: 1855 mm, depth: 600 mm with curve (left side piece)
APDEW60-186-E

Item no.
7610

Worktop for corner solutions

Length: 2455 mm, depth: 600 mm with curve (left side piece)
APDEW60-246-E

Item no.
7611

Worktop for corner solutions

Length: 4000 mm, depth: 600 mm with curve (left side piece)
APDEW400-60-E

Item no.
7612

Worktop for corner solutions

Length: 2450 mm, depth: 600 mm with recess (right side piece)
APDEE60-245-E

Item no.
7613

Worktop for corner solutions

Length: 4000 mm, depth: 600 mm with recess (right side piece)
APDEE60-400-E

Item no.
7614

Niche cladding

Niche cladding

537 mm high coated on both faces, thickness: 16 mm, NVF 240-54



Width:	Item no.
240 cm	9166

Niche cladding

700 mm high coated on both faces, thickness: 16 mm NVF 60-70 / NVF 90-70



Width:	Item no.
60 cm	9160
90 cm	9190

Ovens (individual)

Built-in oven with hydrolysis BEKO

Individual appliance, top & bottom heating and circulating air
BBIM 174N0 BE



Item no.
86753

Built-in oven with hydrolysis BEKO

Individual appliance, top & bottom heating and circulating air
BBIE 110N0X



Item no.
86721

Built-in oven with hydrolysis LAURUS

Individual appliance, top & bottom heating and circulating air
LEB10BK



Item no.
80200

Compact ovens

Compact oven JUNKER

Individual appliance, top & bottom heating, for 450 mm aperture
JC 4306061



Item no.
81243

Microwave compact oven JUNKER

Individual appliance, 5 power levels, for 450 mm aperture
JC 4119961



Item no.
81245

Cooker + hot plate

Built-in cooker BEKO

Top & bottom heating and circulating air
BBUM113N1X



Width:	Item no.
60 cm	86703

Ceramic glass hot plate BEKO

Ceramic glass, 4 cooking zones
EH 9641 XHN



Item no.
86816

Built-in cooker LAURUS

Top & bottom heating and circulating air
BBUM113N1X



Width:	Item no.
60 cm	83011

Glaskeramik-Kochfeld LAURUS

Ceramic glass, 4 cooking zones
LCF600ZBK



Item no.
80307

Hot plates (individual)

Domino ceramic glass hot plate with induction BEKO

Individual appliance, ceramic glass, 2 induction cooking zones
HDMI 32400DT



Width:	Item no.
30 cm	86847

Domino ceramic glass hot plate with induction LAURUS

Individual appliance, ceramic glass, 2 induction cooking zones
LIA 30



Width:	Item no.
30 cm	80332

Ceramic glass hot plate with induction LAURUS

Individual appliance, ceramic glass, 4 induction cooking zones
LIA600



Width:	Item no.
60 cm	80319

Induction hot plate BEKO

Individual appliance, ceramic glass, 4 induction cooking zones
HII 64400 MT



Width:	Item no.
60 cm	86842

Ceramic glass hot plate BEKO

Individual appliance, ceramic glass, 4 cooking zones
EB 9741 XHL



Width:	Item no.
60 cm	86817

Ceramic glass hot plate LAURUS

Individual appliance, ceramic glass, 4 Highlight-cooking zones
LCA 600



Width:	Item no.
60 cm	80308

Ceramic glass hot plate with induction LAURUS

Individual appliance, ceramic glass, 4 induction cooking zones
LIA 780



Width:	Item no.
80 cm	80321

Kitchen modules

Induktions-Kochfeld BEKO

Individual appliance, ceramic glass,
4 induction cooking zones
with 1 flexi zone
Hil 84700 UFTX



Width:
80 cm

Item no.
86849

Built-in microwaves

Microwave JP 4119260 with HydroClean JUNKER

with hinged side on left, 5 power
levels, width: 60 cm, suitable for
wall unit for microwave appliance
JUNKER
JP 4119260



Width:
60 cm

Item no.
81625

Cooker hoods

Wall-mounted cooker hood ELICA

Black glass
WISE 60 BK / 90 BK



Width:
60 cm

Item no.
88526

88529

→ suitable active charcoal filter

18909

Wall-mounted cooker hood FABER

Stainless steel
EASY PBXA60 NG
EASY PBXA90 NG



Width:
60 cm

Item no.
88576

88579

→ suitable active charcoal filter

18559

Slimline cooker hood ELICA

Grey / Stainless steel
ELITE 14 60-D



Width:
60 cm

Item no.
88102

→ suitable active charcoal filter

18102

Island cooker hood ELICA Stainless steel

JOYE Insel-A



Width:
90 cm

Art.-Nr.
88145

→ suitable active charcoal filter

18903

Dishwashers

Fully integrated dishwasher BEKO

Fully integrated; when planned at
start of/end of run upright at end
is required
BDIS 15N22



Width:
45 cm

Item no.
86910

Fully integrated dishwasher LAURUS

Fully integrated; when planned at
start of/end of run upright at end
is required
LSV 45-3



Width:
45 cm

Item no.
80444

Fully integrated dishwasher LAURUS

Fully integrated; when planned at
start of/end of run upright at end
is required
LSV60-4



Width:
60 cm

Item no.
80411

Fully integrated dishwasher BEKO

Fully integrated; when planned at
start of/end of run upright at end
is required
BDIN 14N22



Width:
60 cm

Item no.
86905

Fridges and freezers

Integrated fridge BEKO

Size 88 aperture, fridge section:
97 litres,
freezer section: 13 litres
B 1754 N



Width:
60 cm

Item no.
86508

Integrated built-under fridge LAURUS

Size 88 aperture, fridge section:
98 litres, freezer section: 17 litres
LKG82E



Width:
60 cm

Item no.
80512

Integrated fridge BEKO

Size 123 aperture, fridge section:
156 litres, freezer section: 19 litres
BSSA 210K4SN



Width60
cm

Item no.
86588

Integrated fridge LAURUS

Size 123 aperture, fridge section:
162 litres, freezer section: 16 litres
LKG 122 E



Width:
60 cm

Item no.
80503

Integrated fridge/ freezer combination BEKO

Size 145 aperture, fridge section:
156 litres, freezer section: 58 litres
BCSA 240K4SN



Width:
60 cm

Item no.
86590

Integrated fridge/ freezer combination LAURUS

Size 145 aperture, fridge section:
154 litres, freezer section: 57 litres
LKG144E BF



Width:
60 cm

Item no.
80509

Integrated fridge/ freezer combination BEKO

Size 178 aperture, fridge section:
193 litres, freezer section: 78 litres
BCSA 285K4 SN



Width:
60 cm

Item no.
86520

Integrated fridge/ freezer combination LAURUS

Size 178 aperture, fridge section:
181 litres, freezer section: 70 litres
LKG 178E



Width:
60 cm

Item no.
80510

Sinks

Built-in sink

Stainless steel, minimum sink base unit width: 500 mm
New Manaus



Item no.
87207

Built-in sink with small drip tray

Stainless steel, satin matt,
minimum sink base unit width: 400 mm
ETN 611-58



Item no.
87042

Built-in sink

Stainless steel, minimum sink base unit width: 450 mm
Spark SKX 611-63



Item no.
87083

Built-in sink with drip tray

Stainless steel, minimum sink base unit
width: 450 mm
Okio Line 85 Deep



Item no.
87100

Built-in sink with drip tray

Stainless steel, minimum sink base unit
width: 450 mm
Spark SKX 611-86



Item no.
87077

Built-in sink

Carbon, minimum sink base unit width: 600 mm
Sirius SID 610



Item no.
87516

Built-in sink with small drip tray

Carbon, minimum sink base unit width: 600 mm
Sirius S2D 611-62



Item no.
87502

Einbauspüle mit Abtropffläche

Onyx, minimum sink base unit width: 450 mm
Formhaus D-100



Item no.
87324

Taps

Mixing tap

High pressure, chrome



Item no.
17770

Mixing tap

Low pressure, chrome



Item no.
17769

Mixing tap

High pressure, with spray head, stainless steel



Item no.
17777

Mixing tap

High pressure, with spray head, black matt



Item no.
17791

Accessories

Built-in waste collector

H x W x D = 470 x 340 x 285 mm
(can be built-in upwards of 400 mm door width),
capacity: 13 l, silver colour
AS9441



Item no.
9441

Built-in waste collector

H x W x D = 347 x 434 x 330 mm
(can be built-in upwards of 500 mm door width),
3 separate areas: capacity: 1 x 12 l, 2 x 8.5 l,
1 additional lid for organic waste
AS9431



Item no.
9431

Kitchen modules

Built-in waste collector

H x B x T = 385 x 254 x 475 mm
(can be built-in upwards of 300 mm door width), 3 separate areas:
Inhalt: 3 x 10 l,
1 additional lid for organic waste
AS9449



Item no.
4753

Built-in waste collector

H x W x D = 470 x 410 x 210 mm
(can be built-in upwards of 450 mm door width) capacity: 19 l
AS9449



Item no.
9449

LED niche light set Sirio Long

3 LED lights incl. Emotion
dimmer, stainless steel appearance
LNSIRL set



Item no.
5967

LED niche light Sirio Long


for mounting beneath wall
units, stainless steel appearance
LNSIRL



Item no.
5966

LED starter set with round Emotion radio remote control


LED controls 30 W / 12 V DC
including radio receiver and
6 input distributor, 2000 mm power
cable with plug, 1 round Emotion
radio remote control
LSETR30-F



Item no.
15083

LED extension cable

for extending the
connection cable to the distributor,
length: 1800 mm
VK-LED



Item no.
5273

Built-in socket Twist

Double socket, with contact protec-
tion, plastic housing, cover made of
metal in stainless steel appearance
(014), for installation in worktops,
drilling: 105 mm diameter, 2000
mm power cable, socket model F
Twist-F



Item no.
33447

EVOline Square80

Inductive charging station including
socket with charging function via USB
port type A, plastic housing, black,
cover in stainless steel appearance.
Sockets - type F
SQ80-F



Item no.
36239

Double socket Corner

Double socket, with contact protec-
tion, aluminium housing, stainless
steel appearance. For mounting on
worktops. Sockets - type F
CORN-F



Item no.
33316

EVOline One

Built-in single socket with
contact protection, housing made of
black plastic, cover ring in stainless
steel and black plastic
ONE-F



Item no.
36217

EVOline One USB-Charger

USB charger, 1 x USB-A and 1 x
USB-C plug, housing made of black
plastic, cover ring in stainless steel and
black plastic
ONECH-F-E



Item no.
36234

Cutlery tray Trend

Height: 43 mm, grey
BE 30 / 45 / 60 / 90



Width:	Item no.
30 cm	26121
45 cm	26123
60 cm	26126
90 cm	26129

Wooden cutlery tray


Height: 55 mm, solid oak, with non-
slip mat in anthracite
BE 30E / 45E / 60E / 90E



Width:	Item no.
30 cm	47321
45 cm	47323
60 cm	47326
90 cm	47329

Cutlery tray Concept

Height: 52 mm, non-slip Softtouch
surface
BE 30C / 45C / 60C / 90C



Width:	Item no.
30 cm	39603
45 cm	39645
60 cm	39606
90 cm	39609

Non-slip mat

anthracite
RM 30 / 45 / 60 / 90



Width:	Item no.
30 cm	26711
45 cm	26714
60 cm	26716
90 cm	26719

Waterproof mat

Plastic, slate grey, for sink base
units, cannot be used with front
pull-outs, only for side depth 561 mm
WSMS 45 / 60 / 90



Width:	Item no.
45 cm	39902
60 cm	39904
90 cm	39906

Ventilation grille for all

fridge/freezer housing units
LG 40



Item no.
7038

Plastic ventilation grille

grey, for ventilating electric appli-
ances installed in the highboard
LGADB



Item no.
9500

Spacer band for wall units planned above each other

Spacer profile for cornice shelf, transparent,
thickness: 3 mm, length: 1000 mm

Item no.
9888

Mounting set 2

- 1 ball siphon
- 1 space-saving connector, white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm², 2000 mm long
- 2 Flex tubes with union nut
- 1 hose clip, 16 - 25 mm
- table socket, triple
MONSET2



Item no.
9912

Siphon

Odour stop (syphon) with
connection for dishwasher,
size 1 1/2" x 50 mm
19609



Item no.
19609

Mechanical opening support mechanism with drill jig for handleless doors

For drilling into carcass bottom or
carcase side. Included in delivery:
5 pcs. with drill jig
PTO5-BS



Item no.
6339

Plastic upstand

Top section with sealing lips,
dimensions: 25 mm high,
25 mm deep, in worktop colour
WAP 200 / WAP 400



Item no.
4082
4084

WAP accessory bag

matches the plastic upstand WAP
consisting of: 4 x interior corner 90°,
2 x interior corner 135°, 2 x exterior
corner 90°, 2 x sets of end caps
WAP-Z



Item no.
47928

Upstand

2-section plastic profile with
sealing lip, dimensions: 25 mm
high, 25 mm deep, in stainless
steel appearance or black
WAPN 200 / WAPN 400



Item no.
3942
3944

WAP accessory bag

matches the plastic upstand WAPN
consisting
of: 4 x interior corner 90°,
2 x interior corner 135°, 2 x exterior
corner 90°,
2 x set of end caps WAPN,
2 x set of end caps for niche
cladding
WAPN-Z



Item no.
43940

Worktop fitting incl. turnbuckle connector

Lamello connectors and glue



Item no.
9424

Support angle

made of aluminium, width: 250
mm, side piece length 40 x 40 mm
STW



Item no.
4032

Support leg 60 mm Ø

in stainless steel appearance,
height adjustment + 30 mm
SFED 72 / SFED 87



Height: Item no.
720 mm 44072
870 mm 44087

Housing set for appliance aperture size reduction

Housing set for reducing the size of
the oven aperture from 560 to 450
mm for compact appliances
7977



Item no.
7977

High-quality, unique bathroom furniture with short delivery times.



BSET-E01



BSET-E03



BSET-E02



Top quality standards.

The nobilia elements front, carcass and worktop décors are easy to clean, highly robust and tested for a long life.



Centre line 600 mm
with built-in hand basin.

Additional planning options.

Simple. Clever.
Combined.

Centre line 800 mm
with built-in hand basin.



Centre line 800 mm
with surface-mounted
hand basin.

Sierra oak
reproduction

Additional planning options.

Simple. Clever.
Combined.

Centre line 800 mm
with surface-mounted
hand basin.

Concrete Slate Grey
reproduction




Bathroom modules

Base units

*Top shelf required. | ** Washbasin required.

Open shelf base unit *

Height: 288 mm, depth: 482 mm
Colours: Oak/Concrete
BUR 30-29




Width:
30 cm

Item no.
2331

Open shelf base unit *

1 fixed shelf, height: 576 mm,
depth: 482 mm
Colours: Oak/Concrete
BUR 30-58




Width:
30 cm

Item no.
2862

Pull-out unit *

1 pull-out, height: 288 mm,
depth: 461 mm
BUA 60-29 / 80-29



Width:
60 cm
80 cm

Item no.
2325
2326

Bathroom vanity unit **

1 internal panel, 1 drawer
with pull-out panel with wooden
back panel, cut-out 9381
recess for siphon,
height: 288 mm, depth: 461 mm
BWAS 60-29 / 80-29




Width:
60 cm
80 cm

Item no.
2315
2316

Pull-out unit *

2 pull-outs, height: 576 mm,
depth: 461 mm
BU2A 60-58 / 80-58




Width:
60 cm
80 cm

Item no.
2845
2846

Bathroom vanity unit **

1 internal panel, 1 drawer
with pull-out panel, 1 pull-out
with wooden back panel,
cut-out 9381 recess for siphon,
height: 576 mm, depth: 461 mm
BWASA 60-58 / 80-58



Width:
60 cm
80 cm


Item no.
2835
2836

Sideboard

Top shelf required.

Bathroom sideboard

Hinge side optionally on L/R,
1 pull-out, 1 door, 1 shelf,
height: 864 mm, depth: 350 mm
BSA 30-86



Width:
30 cm

Item no.
2930

Midi units

Top shelf required.

Bathroom midi unit

Hinge side optionally on L/R,
1 door, 1 pull-out, 1 door,
3 shelves, height: 1584 mm,
depth: 350 mm
BMA 30-158



Width:
30 cm

Item no.
2950

Bathroom midi unit

Hinge side optionally on L/R,
1 door, 1 drawer, 1 pull-out,
2 shelves, height: 1152 mm,
depth: 350 mm
BMSA 30-115



Width:
30 cm


Item no.
2940

Wall units

* Handles on these units aligned horizontally on side.

Mirrored cabinet

Hinged side optionally on L/R,
1 mirrored door, 2 glass
shelves, wall unit bottom shelf
with attached profile strip in
stainless steel appearance,
height: 720 mm, total depth:
210 mm, side depth: 202 mm,
utilisable depth: 178 mm
WBSP 60-1



Width:
60 cm

Item no.
2721

Mirrored cabinet

2 mirrored doors, 2 glass
shelves, wall unit bottom shelf
with attached profile strip in
stainless steel appearance,
height: 720 mm, total depth:
210 mm, side depth: 202 mm,
utilisable depth: 178 mm
WBSP 80-1



Width:
80 cm

Item no.
2722

Wall unit *

Hinge side optionally on L/R
1 door, 2 shelves
W 30-1 / 45-1 / 60-1



Width:
30 cm
45 cm
60 cm

Item no.
32003
32045
32006

Wall unit *

2 doors, 2 shelves
W 90-1




Width:
90 cm

Item no.
32009

Wall unit with segmented glass door *

Hinge side optionally on L/R, 1
door, clear glass no. 01,
2 glass shelves
WGLS 60-1




Width:
60 cm

Item no.
31436

Wall unit with folding/lifting door

1 folding/lifting door, 2 original
fronts, 2 shelves
WFL 60-1 / 90-1




Width:
60 cm
90 cm

Item no.
32346
32349

Wall shelf

Thickness: 25 mm,
depth: 255 mm not for planning
above hot plates
Colours: Oak/Concrete/Alpine white
VBE 25-60 / 80 / 90 / 100



Width:
60 cm
80 cm
90 cm
100 cm

Item no.
25826
25828
25829
25830

→ Wall holders for
the wall shelf, set of 2
Colours: Stainless steel / Black
VBH 5



Item no.
5900

Top shelf for sideboards

Thickness: 16 mm, 374 mm
length
16880



Length:
30.3 cm

Item no.
16880

Top shelf for bathroom open shelf base units, pull-out units and vanity units

Thickness: 16 mm, 485 mm
length
16881 / 16882 / 16883 / 16884 /
16885 / 16886 / 16887 / 16888 /
16889 / 16890



Length:
30.3 cm
60.3 cm
80.3 cm
90.3 cm
110.3 cm
120.3 cm
140.3 cm
150.3 cm
160.3 cm
180.3 cm

Item no.
16881
16882
16883
16884
16885
16886
16887
16888
16889
16890

Washbasins

Order odour stop (item no. 17713) separately.

*Top shelf required.

Furniture hand basin

Mineral Composite
1 basin 500 x 340 x 120 mm,
1 tap hole, 1 overflow,
exterior dimensions:
614 x 492 mm, height: 142 mm
MEGX 600C



Item no.
87706

Furniture hand basin

Mineral Composite
1 basin 500 x 340 x 120 mm,
1 tap hole, 1 overflow,
exterior dimensions:
814 x 492 mm, height: 142 mm
MEGX 800C



Item no.
87708

Surface-mounted hand basin

Mineral Composite *
1 basin 475 x 310 x 115 mm,
1 tap hole, 1 overflow,
exterior dimensions:
519 x 450 mm, height: 162 mm
WB 0002 W 520C ICC



Item no.
87727

Surface-mounted hand basin

Mineral Composite *
1 basin 570 x 335 x 100 mm
1 tap hole,
exterior dimensions:
600 x 470 mm, height: 144 mm
WB 0517 C 600C



Item no.
87726

Taps

Hand basin tap

with pull-out rail drain fitting,
connection for hot and cold
water, aerator Ø 24 mm, flexible
connection hoses, tap hole
Ø 35 mm, height of spout
above worktop 98 mm, highest
point above worktop
152 mm, spout 117 mm
Colours: Chrome/Black matt



Item no.
17717



Item no.
17718

Bathroom modules

Accessories

Double socket
for mounting in mirrored cabinets WBSP, double socket with contact protection, plastic housing silver colour, 1600 mm power cable without plug, protection class IP 44
DSDSP-F



Item no.
33318

Built-in waste collector
Built-in waste collector Separato Bathroom, suitable for bathroom pull-out units, height: 220 mm, for pull-out depth: 400 mm
ASSB 40



Item no.
3311

Towel rail
For mounting on the sides of bathroom furniture in 461 mm side depth, hole spacing: 320 mm, height: 50 mm, width: 340 mm
Colours: Stainless steel/Black matt
Screws for fastening are included in the scope of delivery
HTHS650 / HTHS620



Item no.
3320



Item no.
3321

Odour stop
Space-saving model, white plastic, for space-saving connection of washbasins in bathroom furniture, horizontal outlet, water seal head: 50 mm, Ø 32 mm, G1 1/4"



Item no.
17713

Safety box Glasgow
Black aluminium housing, including end caps, splash water protection IP 44, dimensions (H x W x D): 19 mm x 453 mm x 103 mm
SIBOX



Item no.
15195

LED niche light set, Sirio Long

3 LED lights incl. Emotion dimmer, stainless steel appearance
LNSIRL set



Item no.
5967

LED niche light, Sirio Long


for mounting beneath wall units, stainless steel appearance
LNSIRL



Item no.
5966

LED starter set with round Emotion radio remote control


LED controls 30 W / 12 V DC including radio receiver and 6 input distributor, 2000 mm power cable with plug, 1 round Emotion radio remote control
LSETR30-F



Item no.
15083

LED extension cable

for extending the connection cable to the distributor, length: 1800 mm
VK-LED



Item no.
5273

Mirror with horizontal LED light window

1 sand-blasted LED light window, LED-12 V DC, 2700-6500 K, 1 Emotion touch dimmer, 1 LED converter 15 W 112 V DC IP 44, height: 850 mm, depth: 24 mm
SPLH 60 / 80



Width:
60 cm
80 cm

Item no.
15176
15177

LED attachment light Lilium Big Emotion

For planning on mirrored cabinets WBSP*, aluminium housing in stainless steel appearance, Plexiglas cover in satin finish, LED-12 V DC, 2700-6500 K, 1700 mm connection cable to starter set, protection class IP 44
LABSP 50 / 70



Width:
50 cm
70 cm

Item no.
15196
15197

Our nobilia elements living room furniture. Modern and available quickly.



Pre-assembled.
For modular use.

Thanks to the pre-assembled nobilia elements furniture, assembly is a quick and simple process.




Living modules

Base units

*Top shelf required.**Top shelf and upright panels required.

Pull-out unit *


1 pull-out, height: 288 mm,
depth: 461 mm
BUA 60-29 / 80-29



Width: 60 cm
Item no. 2325
80 cm 2326

Open shelf base unit *


Height: 288 mm, depth: 482 mm
Colours: Oak/Concrete
BUR 30-29



Width: 30 cm
Item no. 2331

Pull-out unit *

2 pull-outs, height: 576 mm,
depth: 461 mm
BU2A 60-58 / 80-58



Width: 60 cm
Item no. 2845
80 cm 2846

Open shelf base unit *


1 fixed shelf, height: 576 mm,
depth: 482 mm
Colours: Oak/Concrete
BUR 30-58



Width: 30 cm
Item no. 2862

Base unit set

consisting of upright panels,
top shelf and plinth strip, height:
864 mm, depth: 461 mm
U3A 80-M



Width: 80 cm
Item no. 46483

Top shelf for base unit set

Colours: Alpine white

Item no.
16891

Upright panels for base unit set

Colours: Alpine white


Item no.
16892

Sideboard

*Top shelf required.

Sideboard

Hinge side optionally on L/R
1 pull-out, 1 door, 1 shelf,
height: 864 mm,
depth: 350 mm
BSA 30-86




Width: 30 cm
Item no. 2930

Midi units

*Top shelf required.

Midi unit


Hinge side optionally on L/R,
1 door, 1 pull-out, 1 door,
3 shelves, height: 1584 mm,
depth: 350 mm
BMA 30-158



Width: 30 cm
Item no. 2950

Midi unit

Hinge side optionally on L/R,
1 door, 1 drawer, 1 pull-out,
2 shelves, height: 1152 mm,
depth: 350 mm
BMSA 30-115



Width: 30 cm
Item no. 2940

Wall units

* Handles on these units aligned horizontally on side.

Wall unit *


Hinge side optionally on L/R
1 door, 2 shelves
W 30-1 / 45-1 / 60-1



Width: 30 cm
Item no. 32003
45 cm 32045
60 cm 32006

Wall unit *


2 doors, 2 shelves
W 90-1



Width: 90 cm
Item no. 32009

Wall unit with segmented glass door *

Hinge side optionally on L/R,
1 door, clear glass no. 01,
2 glass shelves
WGLS 60-1



Width: 60 cm
Item no. 31436

Wall unit with folding/lifting door

1 folding/lifting door, 2 original
fronts, 2 shelves
WFL 60-1 / 90-1



Width: 60 cm
Item no. 32346
90 cm 32349

Wall unit with flap


1 flap, opening angle 107°,
depth: 360 mm
WK 60-36 / 80-36 / 120-36



Width: 60 cm
Item no. 35806
80 cm 35808
120 cm 35812

Wall shelf

Thickness: 25 mm,
depth: 255 mm
not for planning above
hot plates
Colours: Oak/Concrete/Alpine white
VBE 25-60 / 80 / 90 / 100



Width: 60 cm
Item no. 25826
80 cm 25828
90 cm 25829
100 cm 25830

→ Wall holders for
the wall shelf, set of 2
Colours: Stainless steel / Black
VBH 5



Item no.
5900

Accessories

Mirror with horizontal LED light window

1 sandblasted LED light
window, LED-12 V DC,
2700-6500 K, 1 Emotion touch
dimmer, 1 LED converter 15 W
112 V DC IP 44, height: 850
mm, depth: 24 mm
SPLH 60 / 80



Width: 60 cm
Item no. 15176
80 cm 15177

LED niche light set, Sirio Long

3 LED lights incl. Emotion
dimmer, stainless steel
appearance
LNSIRL set



Item no.
5967

LED niche light, Sirio Long


for mounting beneath wall units,
stainless steel appearance
LNSIRL



Item no.
5966

LED starter set with round Emotion radio remote control

LED controls 30 W / 12 V DC
including radio receiver and
6 input distributor, 2000 mm
power cable with plug, 1 round
Emotion radio remote control
LSETR30-F



Item no.
15083


LED extension cable
for extending the
connection cable to the
distributor,
Length: 1800 mm
VK-LED




Item no.
5273

The nobilia elements planning grid.


Kitchen planning grid:



Get creative and plan your **nobil**ia elements living space.



Bathroom planning grid:



Living planning grid:

